Express Mail No. EL 818386034 US

1 47439/WGG/C614

HYBRID TEA ROSE PLANT NAMED 'MISS AMBEF'

5 BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct variety of rose plant of the hyprid tea rose which was created by crossing as seed and pollen parents two (1) unknown rose varieties. The varietal denomination of the new variety is 'MISS AMBER'.

SUMMARY OF THE INVENTION

Among the novel characteristics possessed by this new variety which distinguishes it from other varieties of which I am aware, is its orange flowers.

Asemual reproduction by propagation by budding of the new variety as performed in Wasco, California shows that the foregoing and other distinguishing characteristics come true to form and are established and transmitted through succeeding propagations.

25

20

16

15

30

474 49/MGG/C814

BRIEF DESCRIPTION OF ILLUSTRATION

The accompanying illustration shows typical specimens of the flowers of the new variety depicted in color as nearly true as it is reasonably possible to make the same in a color illustration of this character.

10

15

20

15

3.1

.

LEMBRISTION OF THE NEW MARIETY

The following is a detailed description of heyear bidded plants of the new variety, with color terminology in adolption with The Royal Horticultural Society Tollor Chart (EHerri). The terminology used in solor description nervin reters to plate numbers in the aforementioned color chart. Phenotypic expression may vary with light availability, environmental and cultural funditions.

The following observations are made of specimens grown outdoors in Wasco, California, during November.

PLANT

Form: Spreading Spreading Semi-viderous

Size: Height about 36 inches; width

about 30 inches

Foliage

dire: Length objut 2 1% in thes;

width about 1 1/2 inches

Quantity: About 5

Color

New foliage: Upper side near 1%A; under

side near 179A

Mature Upper side near 1: TA; under

foliage: side near 1371

Thape: Elliptic

Texture

Upper side: Smooth

Under side: Matte

Edwe: Serranel

Connation: Century

15

2.5

1 47499/VGG/C014

Petibles:	Top surface	dolur near	1418;

Under side near 14.0

Stipules: Medium lenath

Rachis: Few prickles

Variedation: None

Veination: None

10 Wood New shoots

Bark: Smooth

Bark: Smooth

Mood: Near 1798

15 Cld wood
Bark: Smooth

Wood: Near 143A

Flowering stem: Length about 3 inches

Winter Hardiness: Completely winter hardy

December 10 Disease: Fair

Temperature range: Between in and 120 F

Preferred growing

conditions: Full sun

OB Growth habit: Medium vidor

Leaves per stem: About 5

FLOWER/INFLORESCENCE

Hiromina Habit: Continuous

Pad Length ab un 2 in des; wiath

about 1 + 10 inches

Faim: Classing so coim

- 1

1 474 49/7/33/30114

5	file:	Before sepals divide to ler near 35A; when sepals first divide toler near tofA; when petals begon to unruricately near 37A
	Sepals:	Long and thin
16	Cice:	Length in relation to bad, about 1 1/2 inches
	Color	Topside near 143E; Dottem near 144A
	Peduncle	
15	Length:	About 3 inches
	Strength:	Erect
	Color:	Near 178B
	Flower	
21.	Size:	About 5 1.4 inches
	Borne:	Single
	Form:	High center; unrures tuil
	Fetalage:	About 26
25	Petaloids in center:	About 7
	Persistence:	Good
	Fragrance:	Slight
	Lasting Quality:	About 3 weeks on plant; about 7 days atter outtin:
31:	2010 r	
	During first 2 days:	Inner perals at the were center tipside mean STA; hottom near cfA; outer perals topsine

mear Th, hottom meer orbo

hase of petals Foint of attachment): Near 2A General tonality from a distance: Near 3sB Color Change: Remains the same even within or more days letals Texture: Thin / sort Shape: Longer than wider Arrangement: Imbricated Appearance: Velvet: 15 PEPRODUCTIVE ORGANS

Arrangement of stamens, Regularly arranged around Filaments and Anthers: styles

Color: Filaments near 7A; Anthers near idA

Mollen: No pollen

Styles: Thin; medium length Stidmas: Usual

Hips/Seed Vessels/Ovaries
Shape: Round
Size: Small; about 1 4 inc

Size: Small; about 1 4 Ench Color: Near 138E

Preds: Doserts